

SUPPLEMENTARY MATERIAL TO: [Nami et al. S Afr J Sci. 2020;116\(1/2\), Art. #6550, 9 pages](#)

HOW TO CITE:

Nami HG, Vasquez CA, Wadley L, De la Peña P. Detailed palaeomagnetic record at Rose Cottage Cave, South Africa: Implications for the Holocene geomagnetic field behaviour and chronostratigraphy [supplementary material]. *S Afr J Sci.* 2020;116(1/2), Art. #6550, 4 pages.
<https://doi.org/10.17159/sajs.2020/6550/suppl>

Table 1: Characteristic remanent magnetisation, virtual geomagnetic pole (VGP) positions, intervals of each sample, and maximum angular deviations

Sample	Depth	Declination (°)	Inclination (°)	Longitude	Latitude	Intervals of selected ChRM	Maximum angular deviation
1	13	129	27	27	61	3-Or.	3.8
2	14.5	323	-57	272	58	12-Or.	3.8
3	16	349	-23	354	70	0-Or	3.2
4	17.5	329	-71	239	56	12-Or.	3.9
5	18.5	3	1	33	60	6-40	4.0
6	20	26	-43	113	67	0-Or.	1.8
7	21.5	11	-54	150	79	0-Or.	1.2
8	22	4	-53	170	84	3-Or.	1.1
9	23.5	14	-46	112	78	12-50	2.9
10	25	355	-51	266	85	6-50	1.7
11	26.5	282	26	315	3	20-Or.	4.0
12	27.3	2	-47	88	88	6-Or.	2.6
13	28	60	-40	125	36	20-Or.	3.0
14	29.5	16	-49	124	76	6-30	2.2
15	32	317	-52	281	53	20-Or.	2.7
16	34	4	-47	102	86	6-Or.	2.2
17	35.5	351	-32	351	76	6-Or.	1.7
18	36.5	52	-55	140	46	20-Or.	4.2
19	37.5	351	-27	356	73	0-Or.	3.2
20	38.5	343	-42	312	74	9-Or	2.7
21	39.5	356	-26	13	74	9-Or	3.4
22	40.5	352	-39	341	80	6-Or.	1.4
23	41.5	346	-20	350	67	9-60	3.8
24	42.5	345	-34	332	73	6-Or.	0.7
25	43.5	342	-21	341	65	0-Or.	2.3
26	44.5	360	-59	207	79	0-Or.	6.5

Sample	Depth	Declination (°)	Inclination (°)	Longitude	Latitude	Intervals of selected ChRM	Maximum angular deviation
27	45.5	348	-46	304	79	0-Or.	1.0
28	46.5	350	-51	279	81	6-Or.	0.8
29	48	335	-31	321	64	0-Or.	1.7
30	49	335	-36	314	66	3-Or	0.6
31	50	350	-16	1	67	3-Or.	1.3
32	51.5	352	-40	338	80	15-Or.	1.6
33	52.5	342	-37	321	72	0-Or.	1.3
34	53.5	347	-46	304	78	6-Or.	1.9
35	55	351	-41	331	80	6-Or.	1.2
36	56.5	346	-37	328	74	6-Or.	2.9
37	58	327	-40	302	60	6-Or.	1.1
38	59.5	347	-39	326	76	6-Or.	1.6
39	60.5	331	-48	291	65	0-Or.	3.7
40	62	290	78	5	-19	9-80	8.1
41	63	301	-56	273	41	9-40	5.2
42	64.5	324	-40	300	57	15-Or.	3.5
43	65.5	360	-38	27	82	9-Or.	2.6
44	66	352	-45	316	82	9-Or.	6.0
45	67.5	322	-60	266	57	9-Or.	4.7
46	69.5	198	-63	221	-14	6-Or.	2.1
47	71.5	16	-55	147	75	9-Or.	3.5
48	73.5	10	-58	169	77	15-Or.	6.3
49	80	356	-56	231	82	9-Or.	3.7
50	81.5	351	-59	240	77	6-Or.	3.3
51	83	346	-26	345	70	12-Or.	2.0
52	84	10	-28	62	73	9-Or	3.5
53	85	31	-30	100	59	12-Or	3.6
54	86.5	167	0	182	-58	9-Or	1.2
55	88	61	8	99	23	20-Or.	1.8
56	89.5	41	10	83	38	15-Or	4.4
57	91	297	-66	257	39	9-Or	2.7
58	92	5	-32	50	77	9-Or.	3.0
59	93	359	-58	212	81	12-Or.	1.8
60	94	93	-5	121	-1	3-Or.	2.8
61	95.5	6	-43	81	83	12-Or.	2.9
62	96.5	46	19	83	31	9-Or.	2.4
63	99.5	346	-38	326	75	9-Or.	1.5

Sample	Depth	Declination (°)	Inclination (°)	Longitude	Latitude	Intervals of selected ChRM	Maximum angular deviation
64	100.5	7	-43	85	82	6-Or.	1.3
65	102	17	-21	72	66	12-Or.	2.1
66	103.5	58	12	95	24	9-Or.	0.8
67	105	360	-47	27	89	6-Or.	0.9
68	106.5	16	-40	97	74	12-Or	1.6
69	107.5	40	8	83	39	12-Or.	2.1
70	109	3	-25	38	74	9-Or.	2.4
71	110	360	-56	207	83	12-Or.	1.3
72	116	34	-29	101	56	6-50	4.3
73	118.5	9	-38	75	79	6-40	2.1
74	119.5	55	3	97	29	12-4.	5.4
75	120	21	-42	108	71	15-Or	6.4
76	121.5	6	17	37	52	20-40	4.2
77	122.5	360	-54	207	85	3-Or.	6.9
78	123.5	40	2	86	41	3-40	4.2
79	125	357	-30	15	77	9-25	4.6
80	128	333	-20	329	58	12-50	6.9
81	128.5	196	-25	230	-45	9-Or.	7.7
82	130	21	-52	133	72	3-Or.	2.2
83	131.5	58	-4	102	29	12-Or.	1.6
84	133	53	34	81	20	6-60	2.8
85	134.5	7	-58	178	79	6-Or.	2.9
86	136	347	-48	295	79	0-Or	2.4
87	138	359	-36	22	81	6-Or	4.9
88	140	360	-51	207	88	6-40	1.4
89	142	346	-55	266	77	12-80	4.3
90	144	309	-59	269	47	12-Or.	3.3
91	145.5	359	-48	309	89	0-Or.	3.2
92	146.5	3	-58	194	80	0-Or.	2.9

Or., Origin in the Zijderveld diagram

Negative values show negative inclination or VGP located in the southern hemisphere.

Intervals of selected ChRM are given in mT.

Table 2: Secondary directions from RC samples

Sample	Declination (°)	Inclination (°)	Longitude	Latitude	Intervals of selected ChRM	Maximum angular deviation
11	343	-44	306	75	3-20	3.8
15	3	-22	37	72	0-20	2.3
18	359	-30	23	77	3-20	9.9
75	151	-36	174	-34	0-15	7.0
76	156	-15	172	-47	0-20	5.8

Table 3: Site mean direction and the difference with the International Geomagnetic Reference Field (IGRF) directions

Sample	n	Declination (D°)	Inclination (I°)	D° IGRF difference	I° IGRF difference	k	R	A95
RC	92	3.4	-41.0	26	22.9	4.53	71.91	7.8
RC1-17	17	0.9	-45.4	23.5	18.5	3.9	12.92	20.8
RC18-39	21	347.2	-38.7	-9.8	25.2	26.0	20.23	6.4
RC40-92	53	13.0	-39.7	35.6	24.2	3.6	38.65	12.0

k, Fisher's precision parameter; *R*, resultant vector; A95, semi-angle of cone 95% confidence